


# Serrures pour mini-réfrigérateur

## Détail du produit

|                               |   |
|-------------------------------|---|
| Nom                           | Serrures pour mini-réfrigérateur                    |
| Matériel                      | ABSmétal  |
| Couleur                       | Blanc   |
| Taille                        | 50*61*255mm   |
| Échantillon                   | Disponible  |
| Quantité minimale de commande | 50 ensembles  |
| Emballer                      | Sac en polyéthylène, sac PE, carte blister ou autre |

La serrure du mini-réfrigérateur est composée de fils d'acier à haute résistance et de matériau ABS, simple et efficace à utiliser, elle peut être ouverte immédiatement avec une clé. Il peut instantanément adhérer au réfrigérateur, sans perçage ni vis. Notre serrure de porte de réfrigérateur convient non seulement au congélateur, mais fonctionne également très bien comme serrure d'armoire, serrure de four et serrure de coffre à outils ; peut être utilisé côte à côte dans les réfrigérateurs et les tiroirs. Cela peut bien résoudre vos problèmes, permettre à votre bébé de rester à l'écart des substances nocives et de plus de nourriture. En tant que fournisseur chinois de serrures pour mini-réfrigérateurs, notre vision est qu'une bonne qualité de produit peut apporter une bonne expérience aux clients.



- Adhesion promoter
- Key

# STRONG ADHESIVE

**NO DRILLING**

No damage to the wall

1 pack of free adhesion promoter for stronger adhesive and better effect, Before sticking, wiping by wiping the area where the lock places



x1




## HOW TO USE

- 1.** First wipe and make sure the area where the lock will place is clean
- 2.** Use the adhesion promoter to wipe the area where the lock will place
- 3.** Stick the lock after a few seconds
- 4.** Press hard for a few seconds, wait 24 hours for the best effect



## MULTI-STRANDS WIRE ROPE WRAP



### Insulating plastic wrap

To protect the wire rope from being corroded by chemical reactions



## Smooth edges

More beautiful and thoughtful  
non-slip insulating rubber



## Stainless steel lock

Firm and anti-rust stainless steel  
material



# WIDER LOCK SEAT AND LOCK HEAD

Easy operation with large loading capacity


Strong loading capacity



Out-opening window



In-opening window



Sliding windows



## Suitable for all kinds of windows



# MULTIPURPOSE


Easy installation, firm and durable, effectively preventing children and babies from opening doors, windows and cabinet doors






# WINDOW OPENING SIZE IS USER-DECIDED

window opening size depends on the installation position  
The larger the stagger distance, the smaller the window opening space



Alignment positioning  
makes biggest opening size



Diagonal positioning  
makes small opening size

## Informations sur la société



**We have 5000m<sup>2</sup>factory, our own factory**  
**The REAL STRENGTH is to show the true face to you**







# Strict certification testing provides quality guarantee and **WORRY-FREE EXPORT**



We have achieved some inspection certification, such as ISO9001:2015, BSCI, SGS, TUV, etc. and have won the title of "Guangdong Province Credible Enterprise" for three consecutive years. In addition, we have obtained over 20 product patents and trademark, as well as 5 patent evaluation reports. A series of quality inspection reports provide quality guarantee and worry-free export.

## CONTACT INFORMATION

TEL : +86 20 34992808  
          +86 18026363923  
Web : [www.homecommoditysupplier.com](http://www.homecommoditysupplier.com)  
E-mail : [sales02@balance-china.com](mailto:sales02@balance-china.com)  
Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,  
          Nansha District, Guangzhou, Guangdong, China  
Zip code: 511470