


Minikoelkastsloten

Product detail

Naam	Minikoelkastsloten
Materiaal	ABSmetaal
Kleur	Wit
Maat	50*61*255mm
Steekproef	Beschikbaar
MOQ	50 sets
Pakket	Polyzak, PE-zak, blisterkaart of andere

Het minikoelkastslot van hoogwaardig staaldraden en ABS-materiaal, eenvoudig en efficiënt in gebruik, kan onmiddellijk met de sleutel worden geopend. Het kan direct aan de koelkast worden bevestigd, er zijn geen boren of schroeven nodig. Ons koelkastdeurslot is niet alleen geschikt voor de vriezer, maar werkt ook prima als kastslot, ovenslot en gereedschapskistslot; kan worden gebruikt op side-by-side koelkasten en lades. Het kan uw problemen goed oplossen, uw baby weghouden van schadelijke stoffen en meer voedsel. Als leverancier van minikoelkastsloten in China is onze visie dat een goede productkwaliteit klanten een goede ervaring kan bieden.



- Adhesion promoter
- Key

STRONG ADHESIVE

NO DRILLING

No damage to the wall

1 pack of free adhesion promoter for stronger adhesive and better effect, Before sticking, wiping by wiping the area where the lock places




HOW TO USE

- 1.** First wipe and make sure the area where the lock will place is clean
- 2.** Use the adhesion promoter to wipe the area where the lock will place
- 3.** Stick the lock after a few seconds
- 4.** Press hard for a few seconds, wait 24 hours for the best effect



MULTI-STRANDS WIRE ROPE WRAP



Insulating plastic wrap

To protect the wire rope from being corroded by chemical reactions

Smooth edges

More beautiful and thoughtful
non-slip insulating rubber



Stainless steel lock

Firm and anti-rust stainless steel
material



WIDER LOCK SEAT AND LOCK HEAD

Easy operation with large loading capacity


Strong loading capacity



Out-opening window



In-opening window



Sliding windows




Suitable for all kinds of windows




MULTIPURPOSE

Easy installation, firm and durable, effectively preventing children and babies from opening doors, windows and cabinet doors




WINDOW OPENING SIZE IS USER-DECIDED

window opening size depends on the installation position
The larger the stagger distance, the smaller the window opening space



Alignment positioning
makes biggest opening size



Diagonal positioning
makes small opening size

bedrijfsinformatie



We have 5000m²factory, our own factory
The REAL STRENGTH is to show the true face to you





Strict certification testing provides quality guarantee and **WORRY-FREE EXPORT**



We have achieved some inspection certification, such as ISO9001:2015, BSCI, SGS, TUV, etc. and have won the title of "Guangdong Province Credible Enterprise" for three consecutive years. In addition, we have obtained over 20 product patents and trademark, as well as 5 patent evaluation reports. A series of quality inspection reports provide quality guarantee and worry-free export.

CONTACT INFORMATION

TEL : +86 20 34992808
+86 18026363923
Web : www.homecommoditysupplier.com
E-mail : sales02@balance-china.com
Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,
Nansha District, Guangzhou, Guangdong, China
Zip code: 511470