
شريط لاصق وحلقة لاصقة

اسم المنتج	شريط لاصق وحلقة لاصقة		
مادة	بولیستر/نایلون		
لون	أسود		
عرض	مم، 20 مم، 25 مم، 38 مم 16		
طول	مخصصة في مضاعفات 25 مترا		
طَرد	م/لفة بكميات كبيرة أو حزمة مخصصة 25		
موك	قبول الطلب الصغير		
عينة	متاح		

عالي التحمل. قفل Aهذا الشريط اللاصق ذاتي اللصق مطلي بشريط لاصق مزدوج الجوانب 9448 يطابق الشريط الحلقي عالي الكثافة سيكون له قوة قفل قوية جدًا إخطاف خاص على شكل حرف ليس من السهل أن تسقط بعد الاستخدام. يمكن استخدام الشريط ذاتي اللصق بعدة طرق في المنزل أو المدرسة أو المكتب، الاستخدام الصناعي، يوميًا استخدمي شريطًا أسود على سطح أملس، مثل الخشب والبلاستيك والزجاج وما إلى ذلك، باستخدام مساحة سطح أكبر لتحقيق أقصى قدر من الالتصاق. بصفتنا شركة تصنيع لفة الخطاف والحلقة اللاصقة في الصين، فإن رؤيتنا هي أن جودة المنتج العملاء .










BE A SMART CUSTOMER

Our products Other Supplier







Loop:Dense and thick

Loop:Sparse and messy





Both of them are Grade B hook and loop But pull test can be shown their differnt

After more than 100 times close and open, our hook and loop tape still keep the same. Beacause both hook and loop surface are nylon.

Antoher loop surfaces have been pulled apart, which greatly reduces the adhesion, because only the hook surface is nylon.

GOOD QUALITY PRODUCTS ALSO WITH GOOD ACCESSORIES



release film

PET

release film

Single side

paper

silicon coated

Grashen

release paper

ACCEPT CUSTOMIZE SHAPE AND COLOR FOR HOOK AND LOOP TAPE













Sofa

Curtain

Window screen

Photo wall

Lamps











Car

Grinding machine Fish tank brush

Cleaning appliances

helmet

PURCHASE NOTICE

Width	QTY/CTN	Dimensions &			
	Roll/CTN	M/CTM	Gross Weight		
16mm	60R	1500M			
20mm	48R	1200M			
25mm	40R	1000M	52x27x57 About 17kg/carton		
30mm	32R	800M			
38mm	24R	600M			
50mm	20R	500M			
100mm	10R	250M			
110mm	10R	250M			

Packaging style







bulk packing

Paper card

Polybag

DO NOT USE IN THESE SURFACE













Material selection-



Quality	Grade A	Grade B	Grade C	Grade D
Material	1, 2, 3 Nylon	1,3 Nylon	1 Nylon	1、2、3 Polyester
Peeling Strength	Strong	Great	General	Poor
Durability	Strong	Great	General	Poor
Texture	Strong	Great	General	Poor
Paste times	Most	Great	General	Less

Other customization

Structural characteristics





























Strict certification testing provides quality guarantee and WORRY-FREE EXPORT



We have achieved some inspection certification, such as ISO9001:2015, BSCI, SGS, TUV, etc. and have won the title of "Guangdong Province Credible Enterprise" for three consecutive years. In addition, we have obtained over 20 product patents and trademark, as well as 5 patent evaluation reports. A series of quality inspection reports provide quality guarantee and worry-free export.

CONTACT INFORMATION

TEL :+80 20 34992808 +86 18026363923

Web : www.homecommoditysupplier.com

E-mail : sales02@balance-china.com

Address: No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,

Nansha District, Guangzhou, Guangdong, China

Zip code: 511470