

WIDELY USED

CAN SPLIT USE

The two are used together with a cross pack, it can be tied horizontally or vertically





RUBBER BUCKLE STYLE

Iron clasp style and rubber buckle style can be customized
It can be adjusted according to your requirement
not easy to deform and break



IRON CLASP STYLE





Rubber buckle style/Iron clasp style

LUGGAGE STRAP

Reinforce the luggage / avoid tear





TOP QUALITY NYLON HOOK AND LOOP STRAP

Abrasion resistant material, not easy to deformation or fracture
bright color, durable





LENGTH ADJUSTABLE BUCKLE

Luggage strap for 20-34 inch luggage





COLOR, MATERIAL AND LENGTH CAN BE CUSTOMIZED

Different materials can be matched with different buttons and colors, can be customized according to your actual requirements



Guangzhou Balance Daily Commodities Co., Ltd.

Guangzhou Balance Daily Commodities Co., Ltd. was established in 2005. It is a professional manufacturer and exporter of various types of woven and knitted fabrics, including cotton, polyester, and mixed fabrics. The company has a production capacity of 4000 tons per month and a wide range of products, including various types of woven and knitted fabrics, such as t-shirts, shorts, and underwear. The company is committed to providing high-quality products and excellent customer service. For more information, please visit our website at www.guangzhoubalance.com. We are also a member of BSCI, ISO9001, and SGS.

XXXXXXXXXX XXXXXXXX XXX XXX XXX XXXXXXXXXX XX XXXXXX.

▼ FACTORY



THE PRODUCTION PROCESS ▶



THE PRODUCTION PROCESS ◀

SHIPPING ▶



Orders received



Confirm style



Order materials



Container shipping



Product packaging



Manufacturing



.00000 000 00000 00 00000 0000000000 00000 0000 .00000000 0000 000000000 0 00000000

00000000 000 00000 000 00000000 00000000 :0 .2

000000 0000 0 00000000 0000000000 00000000 00000000 0 0000 :0

000000 0000 00000000 00000000 0000 :0 .3

000000 0000 0000000 0000 0 0000000 00000000 0000000 0000 000 00000000 000 0000000 :0

00000 000 00000000 0000000 **Paypal** 0 00000 00000 00000 **ASAP** 0000 000000000 00000000
00000000

00000000 000000 000 000000000 000000000 000000 000 0000000 :0 .4

000000 000000000 000000 0000 000000000 0 00000000 00000 0000 0 0000 :0 .