

□□□□□□ □□□□□□


اسم المنتج	خطاف وحلقة حقن
مادة	(لا يمكن استخدامه للخياطة) pp، (نايلون) يمكن استخدامه للخياطة
لون	أسود، أبيض، لون شفاف، لون قابل للتخصيم
مقاس	ملم-330 م، # 1 خطاف، # 2 خطاف، # 4 خطاف، # 8 خطاف، خطاف 10 مشرون
حرفة	الإلتصاق، اللكم، الحز، القطع
التعبئة والتغليف	التعبئة السائبة؛ التعبئة والتغليف المخصصة المتاحة
نطاق التطبيق	الملابس، الاستخدام الصناعي، المنسوجات المنزلية، ملصقات شاشة النوافذ، الاتصالات، المعدات الرياضية، حفاضات الأطفال، إلخ.

المادة ناعمة ومنظمة، خطاف غير مكسور، صديق للبشرة الخطاف البلاستيكي له استخدامات متعددة، مناسب للملابس، والاستخدام الصناعي، والمنسوجات المنزلية، وملصقات شاشة النوافذ، والاتصالات، والمعدات الرياضية، وحفاضات الأطفال، إلخ.



INJECTION HOOK

Patented injection of plastics from a complete mold, smooth surface with strong adhesive



All-in-one



High softness



Strong adhesive


STRICT MANUFACTURING PROCESS

High density Superior quality

Injection hook type




Dense and thick



HIGH DENSITY TWO-WAY HOOKS

Soft and orderly
Unbroken hook, skin-friendly



Heat
resistant

Cold
resistant

Water
resistant

Durable



- Authentic manufacturer
- Optimizing material
- Long-lived



You konw that?

There is **GOOD VISCOUS FORCE** only when the hook tape and loop tape **ATTACH WELL**

hook side



#1 hook




#2 hook



#3 hook



#4 hook



sew-on hook



mushroom hook

loop side



sew-on loop



Polyester loop



160g Soft fabric loop



220g Soft fabric loop



280g Soft fabric loop




360g Soft fabric loop



UBL fabric



soft loop



BACK TO BACK TAPE WITH DIFFERENT VISCOSITY

PRODUCT USAGE



Sofa



Curtain



Window screen



Photo wall



Lamps



Car



Grinding machine



Fish tank brush



Cleaning appliances




helmet

ACCEPT CUSTOMIZE SHAPE AND COLOR FOR HOOK AND LOOP TAPE



Material selection



Quality	Grade A	Grade B	Grade C	Grade D
Material	1, 2, 3 Nylon	1, 3 Nylon	1 Nylon	1, 2, 3 Polyester
Peeling Strength	Strong	Great	General	Poor
Durability	Strong	Great	General	Poor
Texture	Strong	Great	General	Poor
Paste times	Most	Great	General	Less

Other customization

Structural characteristics



Sew-on hook




Sew-on loop




Un-napped Loop




Soft fabric loop



injection hook



mushroom hook



hook loop in same side



2 in 1 hook and loop tape

Hook and loop strap

Back-to-back rolls

Back-to-back tie

Buckle strap

Elastic buckle strap



We have 5000m²factory, our own factory
The REAL STRENGTH is to show the true face to you





Strict certification testing provides quality guarantee and **WORRY-FREE EXPORT**



We have achieved some inspection certification, such as ISO9001:2015, BSCI, SGS, TUV, etc. and have won the title of "Guangdong Province Credible Enterprise" for three consecutive years. In addition, we have obtained over 20 product patents and trademark, as well as 5 patent evaluation reports. A series of quality inspection reports provide quality guarantee and worry-free export.

CONTACT INFORMATION

TEL : +86 20 34992808
+86 18026363923
Web : www.homecommoditysupplier.com
E-mail : sales02@balance-china.com
Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,
Nansha District, Guangzhou, Guangdong, China
Zip code: 511470