

防火防熱ケーブルの性能評価

概要

防火防熱ケーブルの性能評価は、ケーブルの耐火性能、防熱性能、および防火性能を評価するための試験方法/試験条件を定める。試験方法は、flame loop and flame試験、flame test、およびflame testを含む。





无边
背胶魔术贴
ADHESIVE
HOOK AND LOOP TAPE
WITHOUT EDGES



无需安装工具
NO TOOL NEEDED
使用简单
SIMPLE TO USE



勾毛组合使用
CO-USE OF HOOK AND LOOP
拥有强劲对粘力
STRONG ADHESIVE



可随意裁剪
FREE-CUTTING
满足不同长度要求
DIFFERENT SIZES AVAILABLE




Adhesive Hook & Loop
EASILY DIY



BE A SMART CUSTOMER

Our products


Other Supplier




Loop:Dense and thick

Loop: Sparse and messy

Brand Glue



According to different use environments, we will provide different brand glue options, like Henfel, Bostik, 3M, Shanghai Shisheng and Jiahao, etc), ensure the efficient performance of the products in different scenarios, such as temperature and weather resistance, outdoor, waterproof, anti plasticizer and so on




**PET
release film**



**PE
release film**



**Single side
silicon coated
paper**



**Grashen
release paper**



CONTACT INFORMATION

TEL : +86 20 34992808
+86 18026363932

Web : www.homecommoditysupplier.com

E-mail : sales02@balance-china.com

Address : Address:No. 2 Shengyuan Street, Beiliu Ind Park, Dagang Town
Nansha District,Guangzhou City, Guangdong Province,China

Zip code : 511470

广州市贝恩日用制品有限公司
GUANGZHOU BALANCE DAILY COMMODITIES CO., LTD.