

PTFE

PTFE

|  |           |
|--|-----------|
|  | PTFE      |
|  | 20-100mm/ |
|  | PTFE      |
|  | / /       |
|  | / /       |

1.   
  - 
  - 
  -
2.   
  - 
  - 
  -
3.   
  - 
  -

PRODUCT DESCRIPTION



PTEF



**THAT'S OUR  
QUALITY**

**strong adhesion. Good sliding effect.**

**Good  
material**

+

**Real  
factory**

=

**HIGH-QUALITY  
PRODUCTS**




We used the **real PTFE material** without doping other fillers to give full play to the low friction characteristics of the PTFE raw material, so as to really help slippery.

We have more than **60 sets of molds** to cater to the needs of different furniture, and we can customize products of different specifications according to customer requirements



**STRONG  
ADHESIVE**




We use a slider pad in round 25mm, it's easy to lift a batch of **1.25L** of water due to its viscosity.



**Arc design**

**Professional arc design, effectively sliding smaller potholes**

# — Varied Specifications —



# — How to use —



## Adhesive Pad

Peel off the release paper on the back and align it with a lamination press.



## Nail Pad

Use tools to tap and fix.



## Pad with screw

Use the tool to twist and install.



# PRODUCT USE



Table



Chair



Sofa



Bed



Desk



Vase



Electrical appliances



Cabinet



## CONTACT INFORMATION

TEL : +80 20 34992808  
+86 18026363923

Web : [www.homecommoditysupplier.com](http://www.homecommoditysupplier.com)

E-mail : [sales02@balance-china.com](mailto:sales02@balance-china.com)

Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,  
Nansha District, Guangzhou, Guangdong, China

Zip code: 511470