	$\overline{}$	$\overline{}$	

ABS[[
50*61*255
50[



STRONG ADHESIVE

NO DRILLING No damage to the wall

1 pack of free adhesion promoter for stronger adhesive and better effect, Before sticking, wiping by wiping the area where the lock places















HOW TO USE

- 1.
 First wipe and make sure the area where the lock will place is clean
- 2. Use the adhesion promoter to wipe the area where the lock will place
- **3.**Stick the lock after a few seconds
- 4. Press hard for a few seconds, wait 24 hours for the best effect



Smooth edges More beautiful and thoughtful non-slip insulating rubber





WIDER LOCK SEAT AND LOCK HEAD

Easy operation with large loading capacity
Strong loading capacity



Out-opening window



Sliding windows








Suitable for all kinds of windows



MULTIPURPOSE

Easy installation, firm and durable, effectively preventing children and babies from opening doors, windows and cabinet doors









WINDOW OPENING SIZE IS USER-DECIDED

window opening size depends on the installation position The larger the stagger distance, the smaller the window opening space




Alignment positioning makes biggest opening size



Diagonal positioning makes small opening size





























Strict certification testing provides quality guarantee and WORRY-FREE EXPORT



We have achieved some inspection certification, such as ISO9001:2015, BSCI, SGS, TUV, etc. and have won the title of "Guangdong Province Credible Enterprise" for three consecutive years. In addition, we have obtained over 20 product patents and trademark, as well as 5 patent evaluation reports. A series of quality inspection reports provide quality guarantee and worry-free export.

CONTACT INFORMATION

TEL :+80 20 34992808 +86 18026363923

Web : www.homecommoditysupplier.com

E-mail : sales02@balance-china.com

Address: No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,

Nansha District, Guangzhou, Guangdong, China

Zip code: 511470