

防火性能測試

防火性能

防火性能測試是評估建築物防火性能的重要手段，包括耐火性能、防火性能、防煙性能、防熱性能、防毒性能、防爆炸性能、防坍塌性能、防變形性能、防裂縫性能、防滲漏性能、防老化性能、防腐蝕性能、防蟲害性能、防霉變性能、防污染性能、防噪音性能、防電磁干擾性能、防電氣安全性能、防機械安全性能、防化學安全性能、防生物安全性能、防核安全性能、防太空安全性能、防其他安全性能。

防火性能測試包括火焰 loop and flame 測試、煙氣測試、熱輻射測試、毒性測試、爆炸測試、坍塌測試、變形測試、裂縫測試、滲漏測試、老化測試、腐蝕測試、蟲害測試、霉變測試、污染測試、噪音測試、電磁干擾測試、電氣安全測試、機械安全測試、化學安全測試、生物安全測試、核安全測試、太空安全測試、其他安全測試。





无边
背胶魔术贴
ADHESIVE
HOOK AND LOOP TAPE
WITHOUT EDGES



无需安装工具
NO TOOL NEEDED
使用简单
SIMPLE TO USE



勾毛组合使用
CO-USE OF HOOK AND LOOP
拥有强劲对粘力
STRONG ADHESIVE





可随意裁剪
FREE-CUTTING
满足不同长度要求
DIFFERENT SIZES AVAILABLE



BE A SMART CUSTOMER

Our products


Other Supplier




Loop:Dense and thick

Loop: Sparse and messy

Brand Glue




According to different use environments, we will provide different brand glue options, like Henfel, Bostik, 3m, Shanghai Shisheng and Jiahao, etc), ensure the efficient performance of the products in different scenarios, such as temperature and weather resistance, outdoor, waterproof, anti plasticizer and so on



**PET
release film**



**PE
release film**



**Single side
silicon coated
paper**



**Grashen
release paper**



CONTACT INFORMATION

TEL : +86 20 34992808
+86 18026363932

Web : www.homecommoditysupplier.com

E-mail : sales02@balance-china.com

Address : Address: No. 2 Shengyuan Street, Beiliu Ind Park, Dagang Town
Nansha District, Guangzhou City, Guangdong Province, China

Zip code : 511470

广州市贝恩日用制品有限公司
GUANGZHOU BALANCE DAILY COMMODITIES CO., LTD.