

Premium - Bodenkabelschutzwagerdichtungskabelabdeckung zum Schutz von Kabeln, um Kabeln vorzubeugen

CHINA TOP 10
HOOK AND LOOP MANUFACTURER

PROFESSIONAL MANUFACTURER	20-YEAR EXPERIENCE	DEVELOPED INNOVATION ABILITY	CUSTOMIZED STRATEGY
INSTANT COMMUNICATION	EXCELLENT QUALITY	FAST DELIVERY	BEST SERVICES

Produktbeschreibung

Halten Sie die Kabel organisiert, schützen Sie Kabel und verhindern Sie eine Reisegefahr

Bitte kontaktieren Sie uns, um weitere Details zu erhalten. Wir können benutzerdefinierte Farbe und Größe machen.

Material	NylonPolyester, akzeptieren Sie die Anpassung.
Typ	Kabel Griff Streifenboden Kabelabdeckung
Proben	Überraschbar
Farbe	Rot, Orange, Schwarz, Blau, Tarnfarbe usw.
Größe	Breite 50 mmmmmmmmm, akzeptieren Sie die Anpassung.
Länge	1-50 Meter, akzeptieren Sie die Anpassung an

PRODUCT DESCRIPTION



SECOND GENERATION

FLOOR CABLE COVER

Wires management orderly
tidy and not messy



Strong
adhesion



Can be cut
freely



Wear-resistant
and durable

MESSY CABLES!

There are security risks

 **Dangerous**



Leakage of wires

 **Accident**



Tripped

 **destroy**



Pet play & bite

 **Risks**



Electricity Hazard

 **Messy**



Affect the appearance

 **Occupying position**



Occupy position

Do you feel upset seeing the messy wires?

It will be ease and comfortable after using the wire cover



Before use

it is disorganized, wires are easy to trip and wear



After use

it is neat and orderly, anti-stumbling, it protects the wires from fraying



Klicken Sie hier, um weitere Informationen zu erhalten



Peel the backing paper off the loop tape.



Attach to the location where the wires need to be placed, and press the tape to stick firmly.



Open the cable cover by tearing off one of the hook side and put the wires inside.



After arranging the wires neatly, close the covers by attaching hook to loop.


Carpet type



1 The version for carpet do not need the adhesive loop tape.



2 The carpet version is for carpet floor, it is more simple.



3 After arranging the wires neatly, close the covers by attaching hook to carpet.



4 Just need to attach one hook side to carpet and grip well, then put the wire in.

Klicken Sie hier, um weitere Informationen zu erhalten

New!



**SECOND
GENERATION**

FLOOR CABLE COVER

New development of our company



**High density wear-resistant fabrics
are more wear-resistant than traditional ones**


**INJECTION
HOOK TYPE**

or


**STANDARD
HOOK TYPE**




High density neat and non
stabbing hand short hook
can be selected



Can also choose the
traditional strong adhesion
hook surface



The new hook of the second generation is thinner after fitting, which is not easy to trip



The height after bonding is about 2mm

The height after bonding is about 4mm

WATERPROOF WITHOUT LEAKAGE



Strong drainage effect, no dripping

We can customize carpet cover of different widths and sizes in small quantities to cater to different scenes



5cm

8cm

10cm

11cm

13cm

15cm

Klicken Sie hier, um weitere Informationen zu erhalten



Can be cut according to needs



**The length and width can be customized freely
and the length can be made into 50 yards**

CUSTOM COLOR



More than a hundred of colors
accept customization


Camouflage





We can also customize
the **FIREPROOF TYPE**

Brand Glue



According to different use environments, we will provide different brand glue options, like Henfel, Bostik, 3M, Shanghai Shisheng and Jiahao, etc), ensure the efficient performance of the products in different scenarios, such as temperature and weather resistance, outdoor, waterproof, anti plasticizer and so on.

Storage & Organization Applicable to a variety of scenarios




Home



Control room



Engineering



Office

CONTACT INFORMATION

TEL : +80 20 34992808
+86 18026363923

Web : www.homecommoditysupplier.com

E-mail : sales02@balance-china.com

Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,
Nansha District, Guangzhou, Guangdong, China

Zip code: 511470