

# Câble de câble en gros Corable Câble Corable Corrige et Câble de boucle Protecteur de cordon

Description du produit

**Gardez les câbles organisés, protégez les cordons et empêchez un risque de voyage**

**Veillez nous contacter pour plus de détails, nous pouvons fabriquer la couleur et la taille sur mesure.**

<b>Matériel</b>	Nylon polyester, acceptez la personnalisation.
<b>Taper</b>	Couvercle de câble de poignée de poignée de câble
<b>Échantillons</b>	Abailable
<b>Couleur</b>	Couleur rouge, orange, noir, bleu, camouflage, etc.
<b>Taille</b>	Largeur 50 mm-250 mm, acceptez la personnalisation.
<b>longueur</b>	longueur

## PRODUCT DESCRIPTION



# SECOND GENERATION

## FLOOR CABLE COVER

Wires management orderly  
tidy and not messy



Strong  
adhesion



Can be cut  
freely



Wear-resistant  
and durable

# MESSY CABLES!

There are security risks

 **Dangerous**



Leakage of wires

 **Accident**



Tripped

 **destroy**



Pet play & bite

 **Risks**



Electricity Hazard

 **Messy**



Affect the appearance

 **Occupying position**



Occupy position




# Do you feel upset seeing the messy wires?

It will be ease and comfortable after using the wire cover



## Before use

it is disorganized, wires are easy to trip and wear



## After use

it is neat and orderly, anti-stumbling, it protects the wires from fraying



**Cliquez ici pour plus d'informations**



Peel the backing paper off the loop tape.



Attach to the location where the wires need to be placed, and press the tape to stick firmly.



Open the cable cover by tearing off one of the hook side and put the wires inside.



After arranging the wires neatly, close the covers by attaching hook to loop.

# Carpet type



1 The version for carpet do not need the adhesive loop tape.



2 The carpet version is for carpet floor, it is more simple.



3 After arranging the wires neatly, close the covers by attaching hook to carpet.



4 Just need to attach one hook side to carpet and grip well, then put the wire in.

[Cliquez ici pour plus d'informations](#)

**New!**



**SECOND  
GENERATION**

**FLOOR CABLE COVER**

*New development of our company*



**High density wear-resistant fabrics  
are more wear-resistant than traditional ones**


**INJECTION  
HOOK TYPE**

or


**STANDARD  
HOOK TYPE**




High density neat and non  
stabbing hand short hook  
can be selected



Can also choose the  
traditional strong adhesion  
hook surface



The new hook of the second generation is thinner after fitting, which is not easy to trip



The height after bonding is about 2mm

The height after bonding is about 4mm

## WATERPROOF WITHOUT LEAKAGE



Strong drainage effect, no dripping

We can customize carpet cover of different widths and sizes in small quantities to cater to different scenes



5cm

8cm

10cm

11cm

13cm

15cm

**Cliquez ici pour plus d'informations**



**Can be cut according to needs**




**The length and width can be customized freely  
and the length can be made into 50 yards**

# CUSTOM COLOR



More than a hundred of colors  
accept customization


## Camouflage





We can also customize  
the **FIREPROOF TYPE**

## Brand Glue



According to different use environments, we will provide different brand glue options, like Henfel, Bostik, 3M, Shanghai Shisheng and Jiahao, etc), ensure the efficient performance of the products in different scenarios, such as temperature and weather resistance, outdoor, waterproof, anti plasticizer and so on.

# Storage & Organization Applicable to a variety of scenarios




**Home**



**Control room**



**Engineering**



**Office**

Information de l'entreprise

# CONTACT INFORMATION

TEL : +80 20 34992808  
+86 18026363923

Web : [www.homecommoditysupplier.com](http://www.homecommoditysupplier.com)

E-mail : [sales02@balance-china.com](mailto:sales02@balance-china.com)

Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,  
Nansha District, Guangzhou, Guangdong, China

Zip code: 511470