

Gancio per iniezione

Dettagli del prodotto


Nome del prodotto	Gancio e anello per iniezione
Materiale	Nylon (può essere usato per cucire), pp (non può essere usato per cucire)
Colore	Nero, bianco, colore trasparente, colore personalizzabile
Misurare	10mm-330m,1#gancio, 2#gancio, 4#gancio, 8#gancio, gancio a fungo
Mestiere	Incollare, punzonare, tagliare, tagliare
Confezione	Imballaggio sfuso; Imballaggio personalizzato disponibile
Ambito di applicazione	Abbigliamento, uso industriale, tessuti per la casa, adesivi per finestre, comunicazione, attrezzature sportive, pannolini per bambini, ecc.

Il materiale è morbido e ordinato, gancio ininterrotto, delicato sulla pelle, t Il gancio in plastica ha molteplici usi, adatto per abbigliamento, uso industriale, tessuti per la casa, adesivi per finestre, comunicazione, attrezzature sportive, pannolini per bambini, ecc.



INJECTION HOOK

Patented injection of plastics from a complete mold, smooth surface with strong adhesive



All-in-one



High softness



Strong adhesive


STRICT MANUFACTURING PROCESS

High density Superior quality

Injection hook type




Dense and thick



HIGH DENSITY TWO-WAY HOOKS

Soft and orderly
Unbroken hook, skin-friendly





- Authentic manufacturer
- Optimizing material
- Long-lived



You konw that?

There is **GOOD VISCOUS FORCE** only when the hook tape and loop tape **ATTACH WELL**

hook side



#1 hook




#2 hook



#3 hook



#4 hook



sew-on hook



mushroom hook

loop side



sew-on loop



Polyester loop



160g Soft fabric loop



220g Soft fabric loop



280g Soft fabric loop



360g Soft fabric loop



UBL fabric



soft loop



BACK TO BACK TAPE WITH DIFFERENT VISCOSITY

PRODUCT USAGE



Sofa



Curtain



Window screen



Photo wall



Lamps



Car



Grinding machine



Fish tank brush



Cleaning appliances




helmet

ACCEPT CUSTOMIZE SHAPE AND COLOR FOR HOOK AND LOOP TAPE



Material selection



Quality	Grade A	Grade B	Grade C	Grade D
Material	1, 2, 3 Nylon	1, 3 Nylon	1 Nylon	1, 2, 3 Polyester
Peeling Strength	Strong	Great	General	Poor
Durability	Strong	Great	General	Poor
Texture	Strong	Great	General	Poor
Paste times	Most	Great	General	Less

Other customization

Structural characteristics



Sew-on hook



Sew-on loop




Un-napped Loop



Soft fabric loop



injection hook



mushroom hook



hook loop in same side



2 in 1 hook and loop tape

Hook and loop strap

Back-to-back rolls

Back-to-back tie

Buckle strap

Elastic buckle strap

Informazioni aziendali



We have 5000m²factory, our own factory
The REAL STRENGTH is to show the true face to you





Strict certification testing provides quality guarantee and **WORRY-FREE EXPORT**



We have achieved some inspection certification, such as ISO9001:2015, BSCI, SGS, TUV, etc. and have won the title of "Guangdong Province Credible Enterprise" for three consecutive years. In addition, we have obtained over 20 product patents and trademark, as well as 5 patent evaluation reports. A series of quality inspection reports provide quality guarantee and worry-free export.

CONTACT INFORMATION

TEL : +86 20 34992808
+86 18026363923
Web : www.homecommoditysupplier.com
E-mail : sales02@balance-china.com
Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,
Nansha District, Guangzhou, Guangdong, China
Zip code: 511470