

PTFE

简介

聚四氟乙烯（PTFE）是一种具有优异性能的高分子材料，广泛应用于化工、医药、电子等领域。其具有耐腐蚀、耐高温、低摩擦系数等特点，是许多工业领域的理想选择。

本手册旨在为您提供关于PTFE产品的详细技术规格和应用信息，帮助您更好地了解和使用我们的产品。

产品名称	PTFE 密封件
规格	20-100mm/厚度
材质	PTFE 纯料
执行标准	GB/T 1992-2003/ISO 15848-1
包装方式	散装/袋装/桶装

产品特点

1. 耐腐蚀性
- 对强酸、强碱、有机溶剂等具有优异的耐腐蚀性能。
 - 在恶劣化学环境中能长期稳定工作。
 - 使用寿命长，维护成本低。
2. 耐高温性
- 可在-200℃至+260℃的宽温度范围内使用。
 - 高温下仍能保持优异的机械性能。
 - 热稳定性好，不易老化。
3. 低摩擦系数
- 具有极低的摩擦系数，减少磨损。
 - 适用于高速运动的密封场合。
 - 自润滑性好，无需额外润滑。

PRODUCT DESCRIPTION



PTFE



**THAT'S OUR
QUALITY**

strong adhesion. Good sliding effect.

**Good
material**

+

**Real
factory**

=

**HIGH-QUALITY
PRODUCTS**




We used the **real PTFE material** without doping other fillers to give full play to the low friction characteristics of the PTFE raw material, so as to really help slippery.

We have more than **60 sets of molds** to cater to the needs of different furniture, and we can customize products of different specifications according to customer requirements



**STRONG
ADHESIVE**




We use a slider pad in round 25mm, it's easy to lift a batch of **1.25L** of water due to its viscosity.



Arc design

Professional arc design, effectively sliding smaller potholes

— Varied Specifications —



— How to use —



Adhesive Pad

Peel off the release paper on the back and align it with a lamination press.



Nail Pad

Use tools to tap and fix.



Pad with screw

Use the tool to twist and install.



PRODUCT USE



Table



Chair



Sofa



Bed



Desk



Vase



Electrical
appliances



Cabinet

□□□□



CONTACT INFORMATION

TEL : +80 20 34992808
+86 18026363923

Web : www.homecommoditysupplier.com

E-mail : sales02@balance-china.com

Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,
Nansha District, Guangzhou, Guangdong, China

Zip code: 511470