

□□□ □□ □□ □□ □□ □□

□□ □□

- □□ □□ □□
- □□□□, □□□□□, □□, □□□, □□□ □□ □...
- □□
- □□□/□□, □□, □□□□, □□□□, □□□ □□ □□ □□
- □□□: 5mm-22mm
- □□□: 1.5mm-8mm
- □□ 50 □□ □□
- □□ □□, □□□ □□ □□, □□ □□□ □□ □□□□, □□ □□ □□, □□ □□ □...
- □□ □□

□□ □□ □□, □□□, □□□, □□□□ □□□ □□ □□ □□ □□ □□□ □□□ □□□ □ □□□□: □□ □ □□ □□ □ □□□ □□; □□ □□; □□□□ □□□ □□□□; □□ □□□ □ □□ □□□ □□ □; □□ □□□ □ □ □□□□. □□ □□ □□□□ □□□ □□□ □□□ □□ □□ □□□□ □□ □□□□□. □□□ □□ □□, □□□□□ □□ □□□□ □□□□, □□□ □□□□□, □□ □ □□ □□, □□□ □□ □□ □ □□□□ □□□□□. □□□□□, □□ □ □ □ □□□□.



ANTI-COLLISION RUBBER BUMPER PAD



EFFECTIVE NOISE & VIBRATION REDUCTION



GENERATES NOISE



FURNITURE DAMAGE







We have glue application equipment and can apply different properties of glue to the rubber bumper pad






Enable products to maximize the effect in different environmental conditions





MULTIPLE SHAPE OPTIONS



ITEM #	Diameter*Height/MM	Material	Pcs/sheet	Graphical Image (Hemispherical Shape)
01	5 × 1.5	Silicone	64	
02	6 × 1.5	Silicone,EPDM	100	
03	6 × 2	Silicone,EPDM	100	
04	6.7 × 2.5	Silicone	100	
05	7 × 1.5	Silicone,EPDM	105	
06	8 × 2	Silicone,EPDM	100	
07	8 × 2.4	Silicone,EPDM	100	
08	8 × 3	Silicone,EPDM	100	
09	9.5 × 3.7	Silicone,EPDM	80	
10	9.5 × 4.5	Silicone	80	
11	10 × 1.5	Silicone,EPDM	100	
12	10 × 2	Silicone,EPDM	100	
13	10 × 3	Silicone,EPDM	100	
14	10.5 × 5	Silicone,EPDM	64	
15	12 × 6	Silicone,EPDM	64	
16	13 × 3	Silicone,EPDM	36	
17	14 × 8	Silicone	36	
18	15 × 2	Silicone	49	
19	15 × 3	Silicone	25	
20	16 × 8	Silicone	36	
	Diameter*Height/MM	Material	Pcs/sheet	Graphical Image (Flat & Round Shape)
21	6 × 3	Silicone	100	
22	6 × 3.5	Silicone	100	
23	8 × 3	Silicone	100	
24	8 × 4	Silicone	100	
25	10.5 × 3	Silicone	64	
26	11 × 2	Silicone,EPDM	64	
27	11 × 3.8	Silicone	50	
28	12 × 2	Silicone,EPDM	64	
29	12 × 2.5	Silicone,EPDM	64	
30	12 × 4	Silicone,EPDM	64	
31	12.7 × 3.5	Silicone,EPDM	64	
32	12 × 5	Silicone,EPDM	64	
33	12 × 6	Silicone	64	
34	13 × 8	Silicone	49	
35	14 × 1.5	Silicone,EPDM	36	
36	14 × 2	Silicone,EPDM	36	
37	14 × 2.5	Silicone,EPDM	36	
38	14 × 5	Silicone,EPDM	36	
39	15 × 1.5	Silicone,EPDM	36	
40	15 × 2	Silicone,EPDM	36	
41	15 × 3	Silicone,EPDM	50	
42	18 × 6	Silicone,EPDM	25	
43	19 × 5.5	Silicone,EPDM	25	
44	20.5 × 3	Silicone	25	
45	20 × 5	Silicone	32	
46	22 × 5	Silicone	32	
	Diameter*Height/MM	Material	Pcs/sheet	Graphical Image (Square Shape)
47	12.7 × 12.7 × 3	Silicone	64	
48	12.7 × 12.7 × 4.8	Silicone	64	
49	12.7 × 12.7 × 6	Silicone	64	
50	20 × 20 × 8	Silicone	64	
	Diameter*Height/MM	Material	Pcs/sheet	Graphical Image (Cylindrical Shape)
51	9.5 × 4	Silicone,EPDM	120	
52	10.5 × 5	Silicone,EPDM	64	


SILICONE

No odor, not distortion
customized shapes available




Good elasticity, anti-bump

HIGH-QUALITY SILICONE FOR SOFT CARE



Cushion
bounce



Bumped



STRONG ADHESION

Strong adhesion, not shed, not deformed




Durable and non-peeling




USAGE

- 1. Wipe the area with a clean rag
- 2. Tear off a rubber bumper pad
- 3. Paste the rubber bumper pad in the desired position


PRODUCT USE




Ashtray



Landline Phone



Electronics




Speaker Bottom



Toilet Seat Lid



Back Of Furniture



Behind Door




Household Appliances



— Other hot-selling products —



Corner protector



Safety cabinet lock



Door stopper



Wall guard pad



Stove knob cover



Slider pad



Felt pad



Magnetic lock



Sliding window lock



Edge protector



Furniture anti-tip straps



Bumper pad



Plug cover



Cable tie



Cable management sleeves



We have 5000m²factory
The REAL STRENGTH is to show the true face to you





Strict certification testing provides quality guarantee and **WORRY-FREE EXPORT**



We have achieved some inspection certification, such as ISO9001:2015, BSCI, SGS, TUV, etc. and have won the title of “Guangdong Province Credible Enterprise” for three consecutive years. In addition, we have obtained over 20 product patents and trademark, as well as 5 patent evaluation reports. A series of quality inspection reports provide quality guarantee and worry-free export.

CONTACT INFORMATION

TEL : +86 20 34992808
+86 18026363932

Web : www.homecommoditysupplier.com

E-mail : sales02@balance-china.com

Address : Address:No. 2 Shengyuan Street, Beiliu Ind Park, Dagang Town
Nansha District,Guangzhou City, Guangdong Province,China

Zip code : 511470

广州市贝恩日用制品有限公司
GUANGZHOU BALANCE DAILY COMMODITIES CO., LTD.