ш		ш		ш	_
					_

□□, □□□, balck, □□, □□ □□ □
1-50m, [][] []
50-250mm, [][] []

000 00 000 0000 0000 0000)	30000· 00 00
0 00 000 000 00 000 000 0	100 000 0000 000 01	0 00000 00 00 0 0 0 0 1	
00 00 0 0000 0 0000. 00 00 1] OO OOO OOO OO I		




Do you feel upset seeing the messy wires?

It will be ease and comfortable after using the wire cover



Before use it is disorganized, wires are easy to trip and wear



it is neat and orderly, anti-stumbling, it protects the wires from fraying

The second generation wire cable sleeve cover has more complete functions and better use effect

Hook & loop type



We can customize carpet cover of different widths and sizes in small quantities to cater to different scenes






Can be cut according to needs



The new hook of the second generation is thinner after fitting, which is not easy to trip



The height after bonding is about 2mm

The height after bonding is about 4mm



Peel the backing paper off the loop tape.



Attach to the location where the wires need to be placed, and press the tape to stick firmly.



Open the cable cover by tearing off one of the hook side and put the wires inside.



After arranging the wires neatly, close the covers by attaching hook to loop.

Storage & Organization Applicable to a variety of scenarios





Home

Control room



Engineering



Office