

鋼絞線 鋼 鋼絞 鋼 鋼-鋼 鋼絞線 鋼絞線 鋼 鋼 鋼 鋼

鋼 鋼

鋼 鋼	鋼 鋼
鋼	PP 鋼絞 鋼
鋼	鋼 / 鋼
鋼	鋼 : 25mm/38mm/50mm 鋼 : 1m/2m/3m/4m/5m
鋼	鋼 鋼 鋼
鋼	鋼 鋼

鋼 鋼絞 鋼絞 鋼, 鋼 鋼, 鋼絞 鋼絞 鋼 鋼絞 鋼絞 鋼絞. 鋼絞 鋼絞 鋼絞 鋼絞 鋼絞 鋼絞 鋼絞 鋼絞 鋼絞. 鋼
 鋼 鋼 鋼絞 鋼絞 鋼 鋼, 鋼絞鋼絞 鋼絞 鋼絞鋼絞 鋼 鋼. 鋼絞 鋼 鋼絞 鋼 鋼, 鋼,鋼, 鋼 鋼 鋼 鋼, 鋼 鋼絞 鋼 鋼絞,
 鋼絞 鋼絞, 鋼, 鋼, 鋼 鋼 鋼絞 鋼 鋼絞 鋼 鋼絞 鋼 鋼絞.

Multicolor



— Specification —



length: 1m



length: 2m



length: 3m



length: 5m

For customization and more specification
please contact us →

SAFETY METAL BUCKLE

Preferred alloy material for durability




Card position with
metal teeth design

HIGH QUALITY WEBBING

Abrasion-resistant and fade-resistant

Soft touch, Sturdy and not easily damaged goods



PRODUCT USE



Usage

1



Press down the
press button

2



The webbing goes from
the bottom to the top

3



Adjusting webbing

4



Tie items, tighten the
webbing on it



CONTACT INFORMATION

TEL : +80 20 34992808
+86 18026363923

Web : www.homecommoditysupplier.com

E-mail : sales02@balance-china.com

Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,
Nansha District, Guangzhou, Guangdong, China

Zip code: 511470