

□□ □□□ □□ □□ □□

□□ □□ □□

□□□	□□ □□□ □□ □□□ □□ □□
□□	□□ □□
□□	□□, □□□, □□□
□□□□□	□□□: □□□ 12mm*3mm--144 □□ □□□ 25mm*3mm--54 □ □□□□ 30mm*3mm--36 □ □□□ 40mm*3mm--20 □ 113x153mm*1mm---- 1□ □□ □□: □□ 12mm*3mm--80 □ □□□ 20mm*3mm--60 □ □□□ 25mm*3mm--48 □ □□□ 38mm*3mm--8 □ □□ □□□ 50mm*3mm--4 □ □□ 67mm*13mm*3mm--8 □ □□
MOQ	□□ □□□ □□□□□□
□□□	Opp □□/□□ □□

□□ □□□ □□ □□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□□ □□ □□ □□□□ □ □□□□. □□□ □□□□ □□ □□□ □□□ □□ □□□ □□□□.

PRODUCT DESCRIPTION



Felt Pad



17 YEARS EXPERIENCE ON PRODUCING FURNITURE FEET PADS



NO PLUGGING COMPOUND

Quality materials from
Pearl River Delta



Our felt is made of primary chemical fiber spinning, Soft and durable, NO secondary materials




No weighting agent added, we make different density and thickness according to customer's request.

Glue and coat by **OURSELF**




We have our own Glue equipment, different glue will be used for making the feet pads, to make them meet different working condition and play the biggest role






 Holt melt glue
 Felt pad



 Adhesive film
 Felt pad



We make felt pads with 2mm distance between each other



Other factories make the felt pads connected each other



We use more material to make the felt pads in good shape. For 20mm 20% more material are used.



Making the felt pads contacted each other saves material, but the product is not circular.



Our felt pads are easy to peel off and is in perfect condition



Hard to peel off from the backing paper and easily damaged.



Each felt pad after peeling off is perfect, beautiful and tight




The felt pad after peeling off is irregular and the felt is loose



We can make LOGO on the product to make your product special

TIPS

Better results after 72 hours of pasting



Welcome to take the free samples to test, compare the adhesion and evaluate & feel the strong adhesive force before place the order.



STRONG ADHESIVE



Various styles, new mould will be opened at your needs



PRODUCT USE



**Good
Adaptability**



**Wide range
of applications**



Wardrobe



Cabinet



Chair



Vase



Sofa



Protect the floor

Stong and wear resistant, prevent scratches on floor



Reduce noise

Effectively reduce noise and improve the quality of life



Anti-collision and anti-vibration

Soft felt material, prevent vibration and protect the furniture

How to use





We have 5000m²factory, our own factory
The REAL STRENGTH is to show the true face to you





Strict certification testing provides quality guarantee and **WORRY-FREE EXPORT**



We have achieved some inspection certification, such as ISO9001:2015, BSCI, SGS, TUV, etc. and have won the title of “Guangdong Province Credible Enterprise” for three consecutive years. In addition, we have obtained over 20 product patents and trademark, as well as 5 patent evaluation reports. A series of quality inspection reports provide quality guarantee and worry-free export.

CONTACT INFORMATION

TEL : +80 20 34992808
+86 18026363923

Web : www.homecommoditysupplier.com

E-mail : sales02@balance-china.com

Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,
Nansha District, Guangzhou, Guangdong, China

Zip code: 511470