

PTFE 垫片密封件

简介

PTFE 垫片密封件是一种广泛应用于工业领域的密封材料。它具有优异的耐腐蚀性、耐高温性和低摩擦系数，能够有效防止流体泄漏，确保设备的安全运行。


本垫片适用于各种腐蚀性介质，如酸、碱、盐溶液等，广泛应用于化工、石油、制药等行业。

材料名称	PTFE 垫片
规格	20-100mm/厚度 2mm
材质	ptfe
包装方式	散装/箱装/定制
备注	可根据客户要求定制各种规格和形状。

产品特点：

- 耐腐蚀性：PTFE 具有极强的化学稳定性，能够抵抗几乎所有强酸、强碱和有机溶剂的腐蚀。
- 耐高温性：PTFE 的长期使用温度可达 260°C，短期可承受更高温度。
- 低摩擦系数：PTFE 表面光滑，摩擦系数极低，易于安装和拆卸，不会刮伤密封面。
- 密封性能好：PTFE 垫片在高压下仍能保持良好的密封性能，防止介质泄漏。
- 使用寿命长：由于优异的耐腐蚀性和稳定性，PTFE 垫片的使用寿命远长于普通橡胶垫片。

PRODUCT DESCRIPTION



PTFE 垫片密封件广泛应用于各种工业领域，确保设备的安全运行。



**THAT'S OUR
QUALITY**

strong adhesion. Good sliding effect.

**Good
material**

+

**Real
factory**

=

**HIGH-QUALITY
PRODUCTS**




We used the **real PTFE material** without doping other fillers to give full play to the low friction characteristics of the PTFE raw material, so as to really help slippery.

We have more than **60 sets of molds** to cater to the needs of different furniture, and we can customize products of different specifications according to customer requirements



**STRONG
ADHESIVE**




We use a slider pad in round 25mm, it's easy to lift a batch of **1.25L** of water due to its viscosity.



Arc design

Professional arc design, effectively sliding smaller potholes

— Varied Specifications —



— How to use —



Adhesive Pad

Peel off the release paper on the back and align it with a lamination press.



Nail Pad

Use tools to tap and fix.



Pad with screw

Use the tool to twist and install.



PRODUCT USE



Table



Chair



Sofa



Bed



Desk



Vase



Electrical
appliances



Cabinet



CONTACT INFORMATION

TEL : +80 20 34992808
+86 18026363923

Web : www.homecommoditysupplier.com

E-mail : sales02@balance-china.com

Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,
Nansha District, Guangzhou, Guangdong, China

Zip code: 511470