

# Zelfklevend klittenband

## Product detail

<b>Productnaam</b>	<b>Zelfklevend klittenband</b>
<b>Materiaal</b>	<b>Polyester/nylon</b>
<b>Kleur</b>	<b>Zwart</b>
<b>Breedte</b>	<b>16 mm, 20 mm, 25 mm, 30 mm, 38 mm</b>
<b>Lengte</b>	<b>Op maat gemaakt in veelvouden van 25 meter</b>
<b>Pakket</b>	<b>25 m/rol in bulk of op maat gemaakt pakket</b>
<b>MOQ</b>	<b>Accepteer een kleine bestelling</b>
<b>Steekproef</b>	<b>Beschikbaar</b>


**Onze klittenband met zelfklevende achterkant, zware industriële sterkte, biedt een sterke houdkracht om uw verschillende items veilig stabiel te houden.**




# BE A SMART CUSTOMER

Our products

Other Supplier




hook: Orderly



hook: disorganized



Loop: Dense and thick



Loop: Sparse and messy






## **Both of them are Grade B hook and loop But pull test can be shown their differnt**


After more than 100 times close and open, our hook and loop tape still keep the same. Because both hook and loop surface are nylon.

Antoher loop surfaces have been pulled apart, which greatly reduces the adhesion, because only the hook surface is nylon.


# GOOD QUALITY PRODUCTS ALSO WITH GOOD ACCESSORIES



**We used release paper in 120g thick and not easy to break**



**Other supplier used 100g or 80g it's easy to rot and deform**



**PET release film**



**PE release film**



**Single side silicon coated paper**



**Grashen release paper**

# ACCEPT CUSTOMIZE SHAPE AND COLOR FOR HOOK AND LOOP TAPE



# PRODUCT USAGE



Sofa



Curtain



Window screen



Photo wall



Lamps



Car



Grinding machine



Fish tank brush



Cleaning appliances



helmet

# PURCHASE NOTICE



Width	QTY/CTN		Dimensions & Gross Weight
	Roll/CTN	M/CTM	
16mm	60R	1500M	52x27x57 About 17kg/carton
20mm	48R	1200M	
25mm	40R	1000M	
30mm	32R	800M	
38mm	24R	600M	
50mm	20R	500M	
100mm	10R	250M	
110mm	10R	250M	

## Packaging style



**bulk packing**



**Paper card**



**Polybag**



# DO NOT USE IN THESE SURFACE



**Wall of Dust**



**Rough wall**




**Rubber / silicone gel type**




**Lychee Leather**

## TIPS

Better results after 72 hours of pasting



# Material selection



Quality	Grade A	Grade B	Grade C	Grade D
<b>Material</b>	1, 2, 3 Nylon	1, 3 Nylon	1 Nylon	1, 2, 3 Polyester
Peeling Strength	Strong	Great	General	Poor
<b>Durability</b>	Strong	Great	General	Poor
<b>Texture</b>	Strong	Great	General	Poor
Paste times	Most	Great	General	Less

# Other customization

## Structural characteristics



Sew-on hook



Sew-on loop




Un-napped Loop



Soft fabric loop



injection hook



mushroom hook



hook loop in same side



2 in 1 hook and loop tape

## Hook and loop strap

Back-to-back rolls

Back-to-back tie

Buckle strap

Elastic buckle strap



**We have 5000m<sup>2</sup>factory, our own factory**  
**The REAL STRENGTH is to show the true face to you**





# Strict certification testing provides quality guarantee and **WORRY-FREE EXPORT**



We have achieved some inspection certification, such as ISO9001:2015, BSCI, SGS, TUV, etc. and have won the title of "Guangdong Province Credible Enterprise" for three consecutive years. In addition, we have obtained over 20 product patents and trademark, as well as 5 patent evaluation reports. A series of quality inspection reports provide quality guarantee and worry-free export.

## CONTACT INFORMATION

TEL : +86 20 34992808  
+86 18026363923  
Web : [www.homecommoditysupplier.com](http://www.homecommoditysupplier.com)  
E-mail : [sales02@balance-china.com](mailto:sales02@balance-china.com)  
Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,  
Nansha District, Guangzhou, Guangdong, China  
Zip code: 511470