
Adhsive hook and loop tape

Product Detail

Product name	Adhsive hook and loop tape			
Material	Polyester/Nylon			
Color	Black			
Width	16mm,20mm,25mm,30mm,38mm			
Length	Customized in multiples of 25 meters			
Package	25m/roll in bulk or customzied package			
MOQ	Accept small order			
Sample	Available			

This self sticky hook and loop strip coated heavy duty 9448A double sided tape. Special J shape hook fastener matches high density loop tape will have very strong lock strength that is not easy fall off after applying.The self-adhesive tape can be used in many ways at home, at school or in the office, Industrial use, daily useapply black tape on a smooth surface, such as wood, plastic, glass, etc., using more surface area for maximum adhesion. As <u>China adhesive hook and loop tape</u> <u>manufacture</u>, our vision is that good product quality can bring good experience to customers.










BE A SMART CUSTOMER

Our products Other Supplier



Loop:Dense and thick

Loop:Sparse and messy






Both of them are Grade B hook and loop But pull test can be shown their differnt


After more than 100 times close and open, our hook and loop tape still keep the same.Beacause both hook and loop surface are nylon. Antoher loop surfaces have been pulled apart, which greatly reduces the adhesion, because only the hook surface is nylon.

GOOD QUALITY PRODUCTS ALSO WITH GOOD ACCESSORIES



We used release paper in 120g thick and not easy to break


Other supplier used 100g or 80g it's easy to rot and deform



PET release film



PE release film



Single side silicon coated paper



Grashen release paper

ACCEPT CUSTOMIZE SHAPE AND COLOR FOR HOOK AND LOOP TAPE



PRODUCT USAGE



PURCHASE NOTICE


Width	QTY/CTN	Dimensions &		
	Roll/CTN	M/CTM	Gross Weight	
16mm	60R	1500M		
20mm	48R	1200M		
25mm	40R	1000M		
30mm	32R	800M	52x27x57 About 17kg/carton	
38mm	24R	600M		
50mm	20R	500M		
100mm	10R	250M		
110mm	10R	250M		

Packaging style



DO NOT USE IN THESE SURFACE






Quality	Grade A	Grade B	Grade C	Grade D
Material	1, 2, 3 Nylon	1、3 Nylon	1 Nylon	1, 2, 3 Polyester
Peeling Strength	Strong	Great	General	Poor
Durability	Strong	Great	General	Poor
Texture	Strong	Great	General	Poor
Paste times	Most	Great	General	Less

Other customization

Structural characteristics





Company Information



We have 5000m²factory, our own factory The REAL STRENGTH is to show the true face to you





Strict certification testing provides quality guarantee and WORRY-FREE EXPORT



We have achieved some inspection certification, such as ISO9001:2015, BSCI, SGS, TUV, etc. and have won the title of "Guangdong Province Credible Enterprise" for three consecutive years. In addition, we have obtained over 20 product patents and trademark, as well as 5 patent evaluation reports. A series of quality inspection reports provide quality guarantee and worry-free export.

