


# Fechadura de geladeira com combinação

## Detalhes do produto

Nome	Bloqueio de geladeira para segurança infantil
Material	ABSmetal
Cor	Branco preto
Tamanho	293*70mm
Amostra	Disponível
Quantidade mínima	50 conjuntos
Pacote	Saco poli, saco PE, cartão blister ou outro

A fechadura da geladeira feita de fios de aço de alta resistência e fechadura de combinação de alta qualidade, simples e eficiente de usar, pode ser aberta imediatamente com a combinação correta. Ele pode aderir instantaneamente à geladeira, sem necessidade de perfuração ou parafusos. Nossa fechadura de porta de geladeira não é apenas adequada para freezer, mas também funciona muito bem como fechadura de armário, fechadura de forno e fechadura de baú de ferramentas; pode ser usado em geladeiras e gavetas lado a lado. Pode resolver bem seus problemas, deixar seu bebê ficar longe de substâncias nocivas e de mais alimentos.



- Password lock
- Adhesion promoter

# STRONG ADHESIVE

## NO DRILLING

### No damage to the wall

1 pack of free adhesion promoter for stronger adhesive and better effect, Before sticking, wiping by wiping the area where the lock places



## HOW TO USE

- 1.** First wipe and make sure the area where the lock will place is clean
- 2.** Use the adhesion promoter to wipe the area where the lock will place
- 3.** Stick the lock after a few seconds
- 4.** Press hard for a few seconds, wait 24 hours for the best effect



## STAINLESS STEEL LOCK

Firm and anti-rust stainless steel material


## SMOOTH EDGES

More beautiful and thoughtful non-slip insulating rubber





## MULTI-STRANDS WIRE ROPE WRAP




**INSULATING PLASTIC WRAP**  
To protect the wire rope from being corroded by chemical reactions



Out-opening window



In-opening window



Sliding windows



## SUITABLE FOR ALL KINDS OF WINDOWS

Password lock




# MULTIPURPOSE

Easy installation, firm and durable, effectively preventing children and babies from opening doors, windows and cabinet doors




# WINDOW OPENING SIZE IS USER-DECIDED

window opening size depends on the installation position  
The larger the stagger distance, the smaller the window opening space



Alignment positioning  
makes biggest opening size



Diagonal positioning  
makes small opening size

## Informações da Empresa





**We have 5000m<sup>2</sup>factory, our own factory**  
**The REAL STRENGTH is to show the true face to you**







# Strict certification testing provides quality guarantee and **WORRY-FREE EXPORT**



We have achieved some inspection certification, such as ISO9001:2015, BSCI, SGS, TUV, etc. and have won the title of "Guangdong Province Credible Enterprise" for three consecutive years. In addition, we have obtained over 20 product patents and trademark, as well as 5 patent evaluation reports. A series of quality inspection reports provide quality guarantee and worry-free export.

## CONTACT INFORMATION

TEL : +86 20 34992808  
+86 18026363923  
Web : [www.homecommoditysupplier.com](http://www.homecommoditysupplier.com)  
E-mail : [sales02@balance-china.com](mailto:sales02@balance-china.com)  
Address : No.2 Shengyuan Street, Beiliu Ind Park, Dagang Town,  
Nansha District, Guangzhou, Guangdong, China  
Zip code: 511470